

## **Technical Data**

## **CHU** (N<sub>6</sub>) Microelements Solution (100X)

**PL002** 

## **Composition:**

Ingredients	milligrams/1000ml
Manganese sulphate.H <sub>2</sub> O	333.00
Boric acid	160.00
Potassium iodide	80.00
Zinc sulphate.7H <sub>2</sub> O	150.00
Ferrous sulphate.7H <sub>2</sub> O	2780.00
EDTA disodium salt.2H <sub>2</sub> O	3726.00

TOTAL 7.23 gm/1000ml

**Directions**: Use 10ml per litre of microelements stock solution.

**Quality Control:** Appearance: Colourless to yellow, clear solution.

pH :  $2.4 \pm 0.5$  of 100ml microelements stock solution.

**Cultural Response :** Growth promoting activity of solution is assessed after addition of this product in complete medium using shoot tips, nodes or callus for 5 weeks at  $25^{\circ}$ C  $\pm 2^{\circ}$ C with 16 hrs photoperiod and 8 hrs darkness. Actively growing shoots and callus is observed.

**Sterility:** No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

**Storage Temperature & Shelf Life:** Store product at 2-8°C away from bright light. Shelf life of product is 24 months. Use before expiry date.

**Reference:** 1. Chu C.C., Wang C.C., Sun C.S., Hus C., Yin K.C., Chu C.Y. & Bi F.Y., (1975), Scientia Sinic., 18, 659-668.

2. Chu C.C, Wang C.C & Sun C.S., (1978), In: Proc. Symp. Plant Tissue Culture, Science Press, Peking, 45-50.

Revision 02/2024

## Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.