



Modified Rappaport Vassiliadis Medium

M1137

Modified Rappaport Vassiliadis Medium is recommended as a selective enrichment medium for the isolation of *Salmonella* species from food and environmental specimens.

Composition**

Ingredients	Gms / 1110 ml
Peptone from soyabean	5.000
Sodium chloride	8.000
Monopotassium phosphate	1.600
Magnesium chloride, 6H ₂ O	40.000
Malachite green	0.040
Final pH (at 25°C)	5.2±0.2

**Formula adjusted, standardized to suit performance parameters

Directions

Suspend 30.07 grams of dehydrated medium in 1000 ml distilled water. Heat gently if necessary to dissolve the medium completely. Dispense as desired into tubes and sterilize by autoclaving at 115°C for 15 minutes.

Principle And Interpretation

Modified Rappaport Vassiliadis Medium is a selective broth for the enrichment of *Salmonella* from foodstuffs, environment and clinical specimens. The original formulation described by Rappaport et al (1) with magnesium chloride hexahydrate was modified by Vassiliadis et al (2) by lowering the concentration of malachite green and raising the incubation temperature to 43°C. This medium is recommended as the selective enrichment medium for isolation of *Salmonella* from food and environmental specimens.

The test specimen is added to Buffered Peptone Water (M614) and incubated at 35°C for 16 - 20 hours. This pre-enriched peptone water culture is inoculated into Modified Rappaport Vassiliadis Medium and incubated at 42 ± 1°C for 24 - 48 hours and further subcultured on Brilliant Green Agar (M016).

Quality Control

Appearance

Light yellow to light blue homogeneous free flowing powder

Colour and Clarity of prepared medium

Blue coloured clear solution without any precipitate

Reaction

Reaction of 3.0% w/v aqueous solution at 25°C. pH : 5.2±0.2

pH

5.00-5.40

Cultural Response

M1137: Cultural characteristics observed after an incubation at different temperatures for 24-48 hours, when subcultured on Brilliant Green Agar Base (M016) and then incubated at 35-37°C for 18-24 hours.

Organism	Inoculum (CFU)	Recovery at 37°C	Recovery at 42 ± 1°C	Colour of colony
<i>Escherichia coli</i> ATCC 25922	50-100	fair	poor	yellowish green
<i>Salmonella Paratyphi B</i> ATCC 8759	50-100	good	good	pink white
<i>Salmonella Enteritidis</i> ATCC 13076	50-100	luxuriant	luxuriant	pink white

<i>Salmonella Typhi</i> ATCC 6539	50-100	fair-good	fair	pink red
<i>Salmonella Typhimurium</i> ATCC 14028	50-100	luxuriant	luxuriant	pink white

Storage and Shelf Life

Store below 30°C in tightly closed container and the prepared medium at 2 - 8°C. Use before expiry date on the label.

Reference

1. Rappaport F., Konforti N. and Navon B., 1956, J. Clin. Path., 9:261.
2. Vassiliadis P. Pateraki E., Papaiconomou N., Papadaicis J. A., Trichopoulos D., 1976, Annales de Microbiologie (Institute Pasteur), 127B : 195.

Revision : 2 / 2015

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.