



## Potato Infusion Agar

M174

Potato Infusion Agar is recommended for the isolation of *Brucella* species.

### Composition\*\*

Ingredients	Gms / Litre
Potato infusion from	200.000
Peptic digest of animal tissue	10.000
Beef extract	5.000
Dextrose	10.000
Sodium chloride	5.000
Agar	15.000
Final pH ( at 25°C)	6.8±0.2

\*\*Formula adjusted, standardized to suit performance parameters

### Directions

Suspend 49 grams in 1000 ml distilled water containing 20 ml glycerol. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Mix well and pour into sterile Petri plates.

### Principle And Interpretation

*Brucella* is a strictly aerobic, gram-negative coccobacilli which causes Brucellosis. This organism is sometimes carried by animals and only causes incidental infections in humans. Infection usually occurs due to consumption of contaminated milk, meat or direct contact. Potato Infusion Agar is used for the isolation of *Brucella* species (1). It is also used for the cultivation of *Brucella* species in large scale for antigen and vaccine preparation. This medium enables *Brucella* species to form typical colonies when isolated from infected materials.

Potato Infusion Agar medium contains infusion of potato, beef extract and peptic digest of animal tissue which provide necessary nutrients required for the growth of *Brucella*. Dextrose serves as source of energy and sodium chloride maintains the osmotic equilibrium of the medium.

### Quality Control

#### Appearance

Cream to yellow homogeneous free flowing powder

#### Gelling

Firm, comparable with 1.5% Agar gel

#### Colour and Clarity of prepared medium

Yellow coloured clear to slightly opalescent gel forms in Petri plates.

#### Reaction

Reaction of 4.9% w/v aqueous solution (containing 2% v/v Glycerol) at 25°C.

#### pH

6.60-7.00

#### Cultural Response

M174: Cultural characteristics observed after an incubation at 35 - 37°C for 24 - 72 hours.

Organism	Growth
<b>Cultural Response</b>	
<i>Bordetella bronchiseptica</i> ATCC 4617	luxuriant
<i>Brucella melitensis</i> ATCC 4309	luxuriant
<i>Brucella suis</i> ATCC 6597	luxuriant

*Streptococcus pneumoniae* luxuriant  
ATCC 6303

### Storage and Shelf Life

Store below 30°C in tightly closed container and the prepared medium at 2 - 8°C. Use before expiry date on the label.

### Reference

1. Atlas R. M., 1993, Handbook of Microbiological Media, CRC Press, Inc., Boca Raton,

Revision : 2 / 2015

#### Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.