Reference

1. Stuart, Toshach and Pastula, 1954, Can. J. Public Health, 45:73.
2. Cary and Blair, 1964, J. Bacteriol., 88:96.
3. Vanderzant C. and Splittstoesser D. F., (Eds.), 1992, Compendium of Methods for the Microbiological Examination of Foods, 3rd Ed., APHA,Washington, D.C.
4. Cary, Mathew, Fusillo and Harkins, 1965, Am. J. Clin. Pathol., 43:294
5. Gaines et al, 1965, Am. J. Trop. Med. Hyg., 14:136.
6. Morris and Heck, 1978, J. Clin. Microbiol., 8:616.
7. Murray P. R., Baron E. J., Tenover F. C., Pfaller M. A., Yolken R.H., (Eds.), 8th Ed., 2003, Manual of Clinical Microbiology, ASM, Washington, D.C.

Revision : 1 / 2011

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia Ê publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia Ê Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory,diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.