

Storage and Shelf Life

Store between 2-8°C in a tightly closed container and use freshly prepared medium. Use before expiry date on the label. On opening, product should be properly stored dry, after tightly capping the bottle in order to prevent lump formation due to the hygroscopic nature of the product. Improper storage of the product may lead to lump formation. Store in dry ventilated area protected from extremes of temperature and sources of ignition. Seal the container tightly after use. Use before expiry date on the label.

Product performance is best if used within stated expiry period.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with sample must be decontaminated and disposed of in accordance with current laboratory techniques (2,3).

Reference

- . H. Williams, (Ed.), 2005, Official Methods of Analysis of the Association of Official Analytical Chemists, 19th Ed., AOAC, Washington, D.C
- 0. Isenberg, H.D. Clinical Microbiology Procedures Handbook 2nd Edition.
- 3. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.
- . The United States Pharmacopeia, 2006, USP29/NF24, The United States Pharmacopeial Convention, Rockville, MD.

Ö:•&|æi { ^:ÄK

W•^iÄ { ~•cÄ^ }•~i^Ä ~äcæä|äc^Ä [-Äc@^Ä]! [ä~&cç•Dhä}Äc@^iÄæ]]|ä&æcä [}Ä]!ä [!Äc [Ä ~•^ÉÄÜ: [ä~&c•Ä& []- [! { Ä• [!^Ä^Äc [Äc@^Ää]- [! { æcä [}Ä& []cæä]^ÄÄä }Äc@i•Ä] ~ä|ä&æcä []Äi•Ääæ•^ÄÄ [}Ä [~!Ä!^•^æ!&@Äæ }ÄÄ^c^ [[{ ^ }c []\^Ä&@æ }*^Äc [•]^Ä&ä&æcä []•Äæ }ÄÄä]- [! { æcä []Ä!^Äæ^ÄÄc [Äc@^Ä]! [ä~&c•ÄæcÄæ }^Äcä { ^ÉÄÜ: [ä~&c•Äæ!^Ä } [chä]c^ } ä^ÄÄ- [!Ä@~ { æ }Ä [!Äæ }ä { æ|Ä [!Äc@^!æ]^~cäÄ~•^Ää~c - [!Ä|æä [!æc [!Éäæ*] [•cä&ÉÄ!^•^æ!&@Ä [!Ä~!c@^iÄ { æ }~æ&c~!ä }*Ä~•^Ä []|^ÉÄ~]|^•Ä [c@^! , ä•^Ä•]^Ä&ä-äÄÉÄÜcæc^ { ^ }c•Ä& []cæä]^ÄÄ@^!^Ä }Ä•@ [~!ÄÄ] [c ä^Ä& []•äÄ!^Ääæ•ÄæÄ , æ!;æ }c^Ä [-Äæ]^ÄÄä }ÄÄ^c []!^••^ÄÄ [!Ää []|ä^ÄÉÄæ }ÄÄ [!Ä|ææä|äc^Ää•Äæ&&^Ä]c^ÄÄ- [!Ää]-!ä }*^ { ^ }cÄ [-Äæ }^Ä]æc^ }c•É