



HM Infusion Powder

RM192

Principle And Interpretation

HM Infusion Powder is specially designed to maximize the growth of highly fastidious microorganisms. It is employed in laboratory media formulations for mass cultivation of microorganisms for various purposes. It is also recommended as an additive in vaccine preparations. When dissolved in water it produces amber coloured solution, which remains clear even after autoclaving. It is equivalent to Meat Infusion Powder.

Quality Control

Appearance

Light yellow to brownish yellow homogenous free flowing powder, having characteristic odour but not putrescent.

Solubility

Freely soluble in distilled/ purified water, insoluble in alcohol.

Clarity

1% w/v aqueous solution is clear without any haziness after autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Reaction

Reaction of 2% w/v aqueous solution at 25°C.

pH

6.20 - 7.20

Microbial Load:

Total aerobic microbial count (cfu/gm)

By plate method when incubated at 30-35°C for not less than 3 days.

Bacterial Count : \leq 2000 CFU/gram

Total Yeast and mould count (cfu/gm)

By plate method when incubated at 20-25°C for not less than 5 days.

Yeast & mould Count : \leq 100 CFU/gram

Test for Pathogens

1. *Escherichia coli*- Negative in 10 gms of sample 2. *Salmonella* species-Negative in 10 gms of sample 3. *Pseudomonas aeruginosa*- Negative in 10 gms of sample 4. *Staphylococcus aureus*- Negative in 10 gms of sample 5. *Candida albicans*- Negative in 10 gms of sample 6. *Clostridia*- Negative in 10 gms of sample

Indole test

Tryptophan content: Passes

Cultural response

Cultural response observed after incubation at 35 - 37°C for 18-48 hours by preparing Nutrient Agar (M001), using HM Infusion Powder as an ingredient.

Cultural response

Organism

Escherichia coli ATCC 25922

Pseudomonas aeruginosa ATCC 27853

Salmonella Typhi ATCC 6539

Streptococcus pyogenes ATCC 19615

Staphylococcus aureus ATCC 25923

Growth

Good-luxuriant

Good-luxuriant

Good-luxuriant

Good-luxuriant

Good-luxuriant

Chemical Analysis

Total Nitrogen	$\geq 12.0\%$
Amino Nitrogen	$\geq 3.0\%$
Sodium chloride	$\leq 6.0\%$
Loss on drying	$\leq 5.0\%$
Residue on ignition	$\leq 20.0\%$

Storage and Shelf Life

Store between 10-30°C in tightly closed container and away from bright light. Use before expiry date on label. On opening, product should be properly stored in dry ventilated area protected from extremes of temperature and sources of ignition. Seal the container tightly after use.

Revision : 06 /2018

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.