



Nutrient Mixture F-12 Ham

With Sodium bicarbonate
Without L-Glutamine

Product Code: AL025

Product Description :

Ham's Nutrient Mixtures were originally developed for single cell plating of near diploid Chinese hamster ovary (CHO) cells and mouse L-cells. Both F-10 and F-12 are formulated for use with or without serum, depending on the type of cells being cultured.

Ham's Nutrient Mixture F12 was originally designed for serial propagation and cloning of two CHO cell lines namely, CHD-3 and CHL-1 and mouse L-cells. It is the medium of choice for the growth of cells of rodent origin and for cloning of myeloma and hybridoma cells. This medium is also the medium of choice for clonal toxicity assay using CHO cells.

AL025 is Nutrient Mixture F-12 Ham with sodium bicarbonate. It does not contain L-glutamine. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

Composition:

Ingredients	mg/L
INORGANIC SALTS	
Calcium chloride dihydrate	44.100
Copper sulphate pentahydrate	0.0025
Ferric sulphate heptahydrate	0.834
Magnesium chloride anhydrous	57.650
Potassium chloride	223.600
Sodium bicarbonate	1176.000
Sodium chloride	7599.000
Sodium phosphate dibasic anhydrous	142.040
Zinc sulphate heptahydrate	0.863
AMINO ACIDS	
Glycine	7.500
L-Alanine	8.910
L-Arginine hydrochloride	210.700
L-Asparagine monohydrate	15.010
L-Aspartic acid	13.300
L-Cysteine hydrochloride monohydrate	35.120
L-Glutamic acid	14.700

L-Histidine hydrochloride monohydrate	20.960
L-Isoleucine	3.940
L-Leucine	13.100
L-Lysine hydrochloride	36.500
L-Methionine	4.480
L-Phenylalanine	4.960
L-Proline	34.500
L-Serine	10.500
L-Threonine	11.900
L-Tryptophan	2.040
L-Tyrosine disodium salt dihydrate	7.810
L-Valine	11.700

VITAMINS

Biotin	0.0073
Choline chloride	13.960
D-Ca-Pantothenate	0.480
Folic acid	1.320
Nicotinamide	0.037
Pyridoxine hydrochloride	0.062
Riboflavin	0.038
Thiamine hydrochloride	0.340
Vitamin B12	1.360
i-Inositol	18.000

OTHERS

D-Glucose	1801.600
Hypoxanthine sodium salt	4.770
Linoleic acid	0.084
Lipoic acid	0.210
Phenol red sodium salt	1.240
Putrescine dihydrochloride	0.161
Sodium pyruvate	110.100
Thymidine	0.730

Directions:

1. Add 5ml of 200mM L-glutamine (TCL012) for 1 litre of medium.

Material required but not provided:

L-Glutamine solution 200mM (TCL012)

Quality Control:

Appearance

Light orange colored, clear solution.

pH

7.00 -7.60

Osmolality in mOsm/Kg H₂O

280.00 -320.00

Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts.

Endotoxin Content

NMT 1EU/ml

Storage and Shelf Life:

Store at 2-8°C away from bright light.

Shelf life is 18 months.

Use before expiry date given on the product label.

Disclaimer :

Revision : 04/2022

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic , research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.