

# **Technical Data**

## **BP S Selective Supplement**

FD069

An antibacterial supplement recommended for suppression of *Proteus* species growing on Baird Parker Agar Base (M043).

### **Composition**

Per vial sufficient for 1000 ml medium

\*Ingredients Concentration
Sulphamethazine 50mg

#### **Directions:**

Rehydrate the contents of one vial aseptically with 5.0 ml sterile distilled water. Mix well and aseptically add to 1000 ml sterile, molten, cooled (45-50°C) Baird Parker Agar Base M043 / Baird Parker Agar Base, Granulated GM043 / Baird Parker HiCynth<sup>TM</sup> Agar Base MCD043 / Baird Parker Agar Base M043I / Baird Parker HiVeg<sup>TM</sup> Agar Base MV043 containing 50 ml Egg Yolk Tellurite Emulsion FD046. Mix well and pour into sterile petri plates.

### Type of specimen

Clinical samples - Skin, Pus, wounds, etc.; Food samples

## **Specimen Collection and Handling**

For clinical samples follow appropriate techniques for handling specimens as per established guidelines (1,2). For food samples follow appropriate techniques for handling specimens as per established guidelines (3). After use, contaminated materials must be sterilized by autoclaving before discarding.

## **Warning & Precautions**

In Vitro diagnostic use. For professional use only. Read the label before opening the container. Wear protective gloves/protective clothing/eye protection/face protection. Follow good microbiological lab practices while handling specimens and culture. Standard precautions as per established guidelines should be followed while handling clinical specimens. Safety guidelines may be referred in individual safety data sheets.

## Storage and Shelf Life

Store at 2 - 8°C. Use before expiry date on the label.

#### **Disposal**

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with clinical sample must be decontaminated and disposed of in accordance with current laboratory techniques (1,2).

## Reference

- 1. Isenberg (Ed.),2004, Clinical Microbiology Procedures Handbook, Vol.3, American Society for Microbiology, Washington. D.C.
- 2. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.
- 3. Salfinger Y., and Tortorello M.L. Fifth (Ed.), 2015, Compendium of Methods for the Microbiological Examination of Foods, American Public Health Association, Washington, D.C.

\* Not For Medicinal Use

Revision : 02/2022

HiMedia Laboratories Technical Data



EC REP

HiMedia Laboratories Pvt. Limited, Plot No.C-40, Road No.21Y, MIDC, Wagle Industrial Area, Thane (W) -400604, MS,

CEpartner4U, Esdoornlaan 13, 3951DB Maarn, NL www.cepartner4u.eu



In vitro diagnostic medical device



Storage temperature





Do not use if package is damaged

## Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.