



Technical Data

BCYE Growth Supplement

FD142X

A chemical enrichment supplement recommended for enhancing growth of *Legionella* species.

Composition

Per vial sufficient for 440 ml medium

Ingredients

Concentration

ACES buffer/ Potassium hydroxide	1.0g
Ferric pyrophosphate, soluble	0.025g
L-cysteine hydrochloride	0.040g
alpha-Ketoglutarate	0.10g
Distilled water	10 ml

Directions:

Warm up the refrigerated supplement to 45-50°C, shake well to form uniform suspension. Avoid frothing. Aseptically add to 440 ml sterile, molten, cooled (45-50°C) Legionella Agar Base [M809A](#)/ Legionella Agar Base, Granulated [GM809A](#). If desired aseptically add rehydrated contents of 1 vial of GVPC Selective Supplement [FD143](#). Mix well and pour into sterile petri plates. The final pH of the medium will be 6.9 ± 0.2 . In case of non incorporation of GVPC Selective Supplement [FD143](#), add aseptically 10 ml sterile distilled water to bring the total volume to 500 ml medium. If desired aseptically add 1 vial to 430 ml sterile molten, cooled Legionella Agar Base [M1845](#) alongwith BMPA Selective Supplement [FD144](#) or GVPC Selective Supplement [FD143](#), or GVPN Selective Supplement [FD242](#) along with 1 vial of BCYE Growth Supplement [FD142](#) and Sterile Charcoal powder [FD280](#)

Note: On storage at 2 to 8°C; due to combination of ingredients, slight fine precipitate may develop which may be evenly distributed before addition to medium.

Type of specimen

Clinical samples - faeces, urine etc; Water samples

Specimen Collection and Handling

For clinical samples follow appropriate techniques for handling specimens as per established guidelines (1,2).

For water samples follow appropriate techniques for handling specimens as per established guidelines (3).

After use, contaminated materials must be sterilized by autoclaving before discarding.

Warning & Precautions

In Vitro diagnostic use. For professional use only. Read the label before opening the container. Wear protective gloves/ protective clothing/eye protection/face protection. Follow good microbiological lab practices while handling specimens and culture. Standard precautions as per established guidelines should be followed while handling clinical specimens. Safety guidelines may be referred in individual safety data sheets.

Storage and Shelf Life

Store at 2 - 8°C. Use before expiry date on the label.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with clinical sample must be decontaminated and disposed of in accordance with current laboratory techniques (1,2).

Reference

1. Isenberg (Ed.),2004, Clinical Microbiology Procedures Handbook, Vol.3, American Society for Microbiology, Washington. D.C.
2. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.
3. Baird R.B., Eaton A.D., and Rice E.W., (Eds.), 2015, Standard Methods for the Examination of Water and Wastewater, 23rd ed., APHA, Washington, D.C.



HiMedia Laboratories Pvt.
Limited, Plot No.C-40, Road
No.21Y, MIDC, Wagle Industrial
Area, Thane (W) -400604, MS,
India



CEpartner4U, Esdoornlaan 13,
3951DB Maarn, NL
www.cepartner4u.eu



In vitro diagnostic
medical device



CE Marking



Storage temperature



Do not use if
package is damaged

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.