

Brent Supplement Mixture (BSM)

G101

Brent Supplement Mixture (BSM) is recommended for use with the addition in DOB or DOBA and carbon source for the growth of *Saccharomyces cerevisiae*.

Composition :**

Ingredients	Milligrams/Litre
Adenine	40.00
L-Arginine HCl	20.00
L-Aspartic acid	100.00
L-Glutamic acid	100.00
L-Histidine HCl	20.00
L-Isoleucine	300.00
L-Leucine	60.00
L-Lysine HCl	30.00
L-Methionine	20.00
Para-aminobenzoic acid (PABA)	8.6
L-Phenylalanine	50.00
L-Serine	375.00
L-Threonine	200.00
L-Tryptophan	40.00
L-Tyrosine	30.00
Uracil	20.00
L-Valine	150.00

** Formula adjusted, standardized to suit performance parameters

Directions :

Suspend 1.55 grams in 1000 ml distilled water. Sterilize by autoclaving at 10 lbs pressure (115°C) for 20 minutes. Mix well and dispense as desired.

Principle and Interpretation :

Brent Supplement Mixture (BSM) is recommended for use with the addition in DOB (Dropout Base) or DOBA (Dropout Based Agar) and carbon source for the growth of *Saccharomyces cerevisiae*. This yeast strain is called budding yeast and is extensively studied microorganism in molecular and cell biology. Brent Supplement Mixture (BSM) is used as an amino acid supplement for all strains of *Saccharomyces cerevisiae* which supplies the essential nutritional elements for budding yeast cells. It is composed of all the amino acids required for the vigorous growth of *Saccharomyces cerevisiae*. It can be

Please refer disclaimer Overleaf

mixed with yeast nitrogen base (YNB), Ammonium sulphate and an appropriate carbon source (glucose/galactose/raffinose) to produce a media suitable for the growth of budding yeast.

Quality Control :

Appearance of Powder :

White to cream coloured, homogeneous, free flowing powder.

Colour and Clarity :

Colourless, clear solution without any precipitate.

Cultural Response :

Cultural characteristics observed after incubation at 25-30°C for 18 - 48 hours.

Organisms (ATCC)


Saccharomyces cerevisiae ATCC 9763

Growth

good-luxuriant

Storage and Shelf-life :

Store below 30°C in tightly closed container and the prepared medium at 2 - 8°C. Use before expiry date on the label.



Storage temperature



Do not use if package is damaged



HiMedia Laboratories Private Limited,
Reg. Off: Plot No. C-40, Road No. 21Y,
MIDC, Wagle Industrial Area, Thane,
(West) 400604, Maharashtra, INDIA.
Web: www.himedialabs.com



08/2025

PIG101_2/0822

G101-02

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

HiMedia Laboratories Pvt. Ltd. Reg.office : Plot No. C-40, Road No. 21Y, MIDC, Wagle Industrial Area, Thane, (West) 400604, Maharashtra, INDIA.
Customer Care No.: 00-91-22-6116 9797 Tel: 00-91-22-6147 1919, 6903 4800 Email: techhelp@himedialabs.com Website: www.himedialabs.com