

## 0.1% Peptone Water

LQ172X3

### Intended use

Recommended as a growth medium and as a base for carbohydrate fermentation media.

### Composition\*\*

Ingredients	g / L
Peptone	1.000
Final pH ( at 25°C)	7.1±0.2

\*\*Formula adjusted, standardized to suit performance parameters

### Directions

Label the ready to use LQ172X3 bottle. In sterile environment, unscrew the bottle. Inoculate the medium with the pre-determined volume of the sample or 50-100 CFU of a known culture (as positive control) and incubate at 35 - 37° C for 24-48 hours.

### Principle And Interpretation

Peptone Water, 0.1% is a minimal nutrient media designed to reduce multiplication of microorganisms (1,2). Peptone Water is a non selective media can be utilized as a base for carbohydrate fermentation studies with the addition of sugar and indicators such as bromocresol purple, phenol red or bromothymol blue and for production of indole (3).

### Type of specimen

Food samples; Water samples

### Specimen Collection and Handling

For food samples, follow appropriate techniques for sample collection and processing as per guidelines (2).

For water samples, follow appropriate techniques for sample collection, processing as per guidelines and local standards (1).

After use, contaminated materials must be sterilized by autoclaving before discarding.

### Warning and Precautions

Read the label before opening the container. Wear protective gloves/protective clothing/eye protection/face protection. Follow good microbiological lab practices while handling specimens and culture. Standard precautions as per established guidelines should be followed while handling specimens. Safety guidelines may be referred in individual safety data sheets.

### Limitations

1. Further recovery from this enriched medium onto selective media is required.
2. Biochemical and serological characterization is required to be carried out from pure isolates for complete identification.

### Performance and Evaluation

Performance of the medium is expected when used as per the direction on the label within the expiry period when stored at recommended temperature.

### Quality Control

#### Appearance

Sterile clear 0.1% peptone water in glass bottle.

#### Colour

Colourless medium

#### Quantity of medium

30 ml of medium in bottle

#### pH

6.90- 7.30

#### Sterility Check

Passes release criteria

#### Cultural response

Cultural characteristics observed after an incubation at 35 - 37°C for 24-48 hours.

---

Organism	Inoculum (cfu)	Growth
<i>Escherichia coli</i> ATCC 25922 (00013*)	50-100	good
<i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC 25923 (00034*)	50-100	good
<i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC 6538 (00032*)	50-100	good
<i>Candida albicans</i> ATCC 10231 (00054*)	50-100	good

Key : (\*) Corresponding WDCM numbers.

### Storage and Shelf Life

Store between 15-30°C. Use before expiry date on the label. Product performance is best if used within stated expiry period.

### Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with sample must be decontaminated and disposed of in accordance with current laboratory techniques (4,5).

### Reference

- 1.Lipps WC, Braun-Howland EB, Baxter TE,eds. Standard methods for the Examination of Water and Wastewater, 24th ed. Washington DC:APHA Press; 2023.
- 2.Salfinger Y., and Tortorello M.L. Fifth (Ed.), 2015, Compendium of Methods for the Microbiological Examination of Foods, 5th Ed., American Public Health Association, Washington, D.C.
- 3.MacFaddin J., 1980, Biochemical Tests for Identification of Medical Bacteria, 2nd ed., Williams and Wilkins, Baltimore.
- 4.Isenberg, (Ed.), 1992, Clinical Microbiology Procedures Handbook, Vol. I, American Society for Microbiology, Washington, D.C.
- 5.Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.

Revision : 00/2024

### Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.