



HiCrome™ *Klebsiella* Selective Agar Base

M1573

Intended use

Recommended for the selective isolation and easy detection of *Klebsiella* species from water and other sources.

This medium can also be used in membrane filtration procedure.

Composition**

| Ingredients | g / L |
|------------------------------|---------|
| Peptone, special | 12.000 |
| Yeast extract | 7.000 |
| Sodium chloride | 5.000 |
| Bile salts mixture | 1.500 |
| Sodium lauryl sulphate (SLS) | 0.100 |
| Chromogenic mixture | 0.200 |
| Agar | 15.000 |
| Final pH (at 25°C) | 7.1±0.2 |

**Formula adjusted, standardized to suit performance parameters

Directions

Suspend 20.4 gram in 500 ml purified/distilled water. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Cool to 45-50°C and aseptically add rehydrated contents of one vial of CarbK Selective Supplement (FD225). Mix well and pour into sterile Petri plates.

Principle And Interpretation

HiCrome™ *Klebsiella* Selective Agar Base is recommended for isolation and enumeration of *Klebsiella* species based on chromogenic differentiation. *Klebsiella pneumoniae* strains are widely distributed in the environment and contribute to biochemical and geochemical process (1). *K.pneumoniae* causes severe often fatal pneumonia. It also proves to be the source of lung infections that generally occur in patients with debilitating conditions such as alcoholism, diabetes mellitus, and chronic obstructive pulmonary disease (2). The chromogenic substrate incorporated in the media is cleaved specifically by *Klebsiella* species. *K. pneumoniae*, the causative agent of pneumonia, produces a purple-magenta coloured colony thereby aiding in the easy detection of the organisms. Most of the frequently encountered gram-negative faecal contaminants are inhibited on this media using a selective supplement. Peptone special and yeast extract provides carbon, nitrogen substances, long chain amino acids, vitamins and other essential nutrients required for the growth of the organism. Sodium chloride maintains the osmotic equilibrium of the medium. Bile salts mixture and sodium lauryl sulphate (SLS) inhibit most of the accompanying flora. Addition of the selective supplement further increases the selectivity of the medium.

Type of specimen

Water samples.

Specimen Collection and Handling:

For water samples, follow appropriate techniques for sample collection, processing as per guidelines and local standards (3). After use, contaminated materials must be sterilized by autoclaving before discarding.

Warning and Precautions

Read the label before opening the container. Wear protective gloves/protective clothing/eye protection/ face protection. Follow good microbiological lab practices while handling specimens and culture. Standard precautions as per established guidelines should be followed while handling specimens. Safety guidelines may be referred in individual safety data sheets.

Limitations

1. Some organisms may show poor growth due to nutritional variations.
2. Further biochemical and serological test are necessary for confirmation.

Performance and Evaluation

Performance of the medium is expected when used as per the direction on the label within the expiry period when stored at recommended temperature.

Quality Control

Appearance

Cream to yellow homogeneous free flowing powder

Gelling

Firm, comparable with 1.5% Agar gel

Colour and Clarity of prepared medium

Light amber coloured, clear to slightly opalescent gel forms in Petri plates

Reaction

Reaction of 4.08% w/v aqueous solution at 25°C. pH : 7.1±0.2

pH

6.90-7.30

Cultural Response

Cultural characteristics observed with added CarbK Selective Supplement (FD225) after an incubation at 35-37°C for 18-24 hours.

| Organism | Inoculum (CFU) | Growth | Recovery | Colour of Colony |
|---|------------------|-----------|----------|-------------------------|
| # <i>Klebsiella aerogenes</i> ATCC 13048 (00175*) | ≥10 ⁴ | inhibited | 0% | |
| <i>Escherichia coli</i> ATCC 25922 (00013*) | ≥10 ⁴ | inhibited | 0 % | |
| <i>Klebsiella pneumoniae</i> ATCC 13883 (00097*) | 50-100 | luxuriant | ≥50% | purple-magenta (mucoid) |
| <i>Salmonella</i> Typhi ATCC 6539A | ≥10 ⁴ | inhibited | 0 % | |
| <i>Serratia marcescens</i> ATCC 8100 | ≥10 ⁴ | inhibited | 0% | |

Key: (#) *Enterobacter aerogenes*, (*) Corresponding WDCM numbers

Storage and Shelf Life

Store between 15-25°C in a tightly closed container and the prepared medium at 2-8°C. Use before expiry date on the label. On opening, product should be properly stored dry, after tightly capping the bottle in order to prevent lump formation due to the hygroscopic nature of the product. Improper storage of the product may lead to lump formation. Store in dry ventilated area protected from extremes of temperature and sources of ignition Seal the container tightly after use. Product performance is best if used within stated expiry period.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with sample must be decontaminated and disposed of in accordance with current laboratory techniques (4,5).

Reference

1. Krieg, N. R., and J. G. Holt, (Eds.), 1984, Bergeys Manual of Systematic Bacteriology, Vol. 1, p. 408 - 516. The Williams and Wilkins Co., Baltimore, MD.
2. Wyngaarden J. B., Smith L. H., (Eds.), Cecil Text book of Medicine, 16th Ed, pp 1430 -1432, Philadelphia, W. B. Saunders, 1982.
3. Lipps WC, Braun-Howland EB, Baxter TE, eds. Standard methods for the Examination of Water and Wastewater, 24th ed. Washington DC:APHA Press; 2023.
4. Isenberg, H.D. Clinical Microbiology Procedures Handbook. 2nd Edition.
5. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.