

Technical Data

Actinomyces Agar

Intended Use:

Recommended for cultivation and maintenance of the anaerobic Actinomyces species.

Composition**	
Ingredients	Gms / Litre
HM infusion solids B#	10.000
Tryptose	10.000
Tryptone	4.000
Yeast extract	5.000
Dextrose (Glucose)	5.000
L-Cysteine hydrochloride	1.000
Starch, soluble	1.000
Sodium chloride	5.000
Potassium dihydrogen phosphate	15.000
Ammonium sulphate	1.000
Magnesium sulphate	0.200
Calcium chloride anhydrous	0.020
Agar	20.000
Final pH (at 25°C)	6.9±0.2
**Formula adjusted, standardized to suit performance	parameters

Equivalent to Beef heart infusion, solids

Directions

Suspend 77.22 grams in 1000 ml purified / distilled water. Heat to boiling to dissolve the medium completely. Distribute into tubes or flasks. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Principle And Interpretation

Actinomycetes are gram-positive bacteria, which show marked chemical and morphological diversity but form a distinct evolutionary line of organisms that range from coccoid and pleomorphic forms to branched filaments (4). *Actinomycetes* form an integral part of soil, water and vegetation. *Actinomycete* development leads to the formation of volatile metabolites (1). Traces of these volatile metabolites are sufficient to impart disagreeable odour to water or a muddy flavour to fish (4). *Actinomycetes* also cause disruptions in wastewater treatment by forming massive growths, which are capable of producing thick foam in the activated sludge process (7,8) Actinomyces Agar is further modified and is recommended for the cultivation and maintenance of anaerobic *Actinomycete* species (2).

HM infusion solids B, tryptose, tryptone, yeast extract, starch and dextrose act as sources of carbon, nitrogen, sulphur, vitamins and other growth factors. The metallic salts provide essential electrolytes and minerals.

Type of specimen

Water samples; Soil sample

Specimen Collection and Handling:

For water samples, follow appropriate techniques for sample collection and processing as per guidelines (3). For soil samples, follow appropriate techniques for sample collection, processing as per guidelines and local standards.(9) After use, contaminated materials must be sterilized by autoclaving before discarding.

Warning and Precautions :

Read the label before opening the container. Wear protective gloves/protective clothing/eye protection/ face protection. Follow good microbiological lab practices while handling specimens and culture. Standard precautions as per established guidelines should be followed while handling specimens. Safety guidelines may be referred in individual safety data sheets.

Limitation:

1. This medium is general purpose medium and may not support the growth of fastidious organisms.

M341

Performance and Evaluation

Performance of the medium is expected when used as per the direction on the label within the expiry period when stored at recommended temperature.

Quality Control

Appearance

Cream to yellow homogeneous free flowing powder

Gelling

Firm, comparable with 2.0% agar gel.

Colour and Clarity of prepared medium

Yellow to light amber coloured clear to slightly opalescent gel forms in Petri plates.

Reaction

Reaction of 7.72% w/v aqueous solution at 25°C. pH : 6.9±0.2

pН

6.70-7.10

Cultural Response

Cultural characteristics observed after an incubation at 25-30°C for 40-72 hours (*- incubated anaerobically) Organism Growth

*Actinomyces israelii ATCC luxuriant 10049 Streptomyces achromogenes good ATCC 12767 Streptomyces albus subsp good albus ATCC 3004 Streptomyces lavendulae good ATCC 8664 *Actinomyces bovis ATCC good 13683

Storage and Shelf Life

Store between 10-30°C in a tightly closed container and the prepared medium at 20-30°C. Use before expiry date on the label. On opening, product should be properly stored dry, after tightly capping the bottle in order to prevent lump formation due to the hygroscopic nature of the product. Improper storage of the product may lead to lump formation. Store in dry ventilated area protected from extremes of temperature and sources of ignition. Seal the container tightly after use. Product performance is best if used within stated expiry period.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with sample must be decontaminated and disposed of in accordance with current laboratory techniques (5,6).

Reference

1. Adams B. A., 1929, Water and Water Eng., 31:327.

2. Ajello L., Georg L. K., Kaplan W. and Kaufman L., 1963, CDC Lab Manual Med. Mycology, PHS Publication No. 994, CDC, Washington D.C.

3. Baird R.B., Eaton A.D., and Rice E.W., (Eds.), 2015, Standard Methods for the Examination of Water and Wastewater, 23rd ed., APHA, Washington, D.C.

4. Collee J. G., Fraser A. G., Marmion B. P., Simmons A., (Eds.), Mackie and McCartney, Practical Medical Microbiology, 1996, 14th Edition, Churchill Livingstone.

- 5. Isenberg, H.D. Clinical Microbiology Procedures Handbook 2nd Edition.
- Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.

7. Lechevalier H. A., 1975, Environ. Protection Technol. Ser., EPA-600/ 2-75-031, U. S. Environmental Protection Agency, Cincinnati, Ohio.

8. Lechevalier M. P., and Lechevalier H. A., 1974, Int. J. Syst.Bacteriol., 24:278.

9. Subba Rao N. S., 1977, Soil Microorganisms and Plant Growth, Oxford and IBH Publishing Co., New Delhi.

Revision : 02 / 2020

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia[™] publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia[™] Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

HiMedia Laboratories Pvt. Ltd. Reg.office : 23, Vadhani Ind.Est., LBS Marg, Mumbai-400086, India. Customer care No.: 022-6116 9797 Corporate office : A-516,Swastik Disha Business Park,Via Vadhani Ind. Est., LBS Marg, Mumbai-400086, India. Customer care No.: 022-6147 1919 Email: techhelp@himedialabs.com Website: www.himedialabs.com