

Tellurite Blood Agar Base

MP1260

Intended Use:

Recommended for the selective isolation and cultivation of *Corynebacterium* species.

Composition**

Ingredients	g / L
Biopeptone	10.000
Sodium chloride	5.000
Dipotassium hydrogen phosphate	4.000
Corn starch	1.000
Potassium dihydrogen phosphate	1.000
Agar	10.000
Haemoglobin solution(FD022)	1 vial
Vitamins Growth Supplement (FD025)	1 vial
1%Potassium Tellurite (FD052)	1 vial
Final pH (at 25°C)	7.2±0.2

**Formula adjusted, standardized to suit performance parameters

Directions

Either streak, inoculate or surface spread the test inoculum (50-100 CFU) aseptically on the plate.

Principle And Interpretation

Corynebacterium is a genus of gram-positive, facultatively anaerobic, non-motile bacteria that exhibits a fermentative metabolism (carbohydrates to lactic acid) under certain conditions. Corynebacteria constitute a diverse group of bacteria that includes saprophytic associations as well as plant and animal pathogens. Most species are normal flora of humans present virtually at all anatomic sites. Many species of Corynebacteria can be isolated from various places such as soil, water, blood, and human skin. Pathogenic strains of Corynebacteria can infect plants, animals, or humans. Tellurite Blood Agar is a selective medium used for isolation and cultivation of *Corynebacterium* species (1,2).

It is selective due to the presence of inhibitor and differential by means of ability of organism to reduce potassium tellurite. Biopeptone provides nitrogenous compounds. Sodium chloride maintains the osmotic equilibrium of the medium while phosphates buffer the medium. Corn starch neutralizes the toxic metabolites. Haemoglobin and Vitamins Growth Supplement stimulate good growth of *Corynebacterium*. Potassium tellurite acts as a selective agent and has inhibitory activity against most gram-positive and gram-negative bacteria except *Corynebacterium* species. *C.diphtheriae* reduces potassium tellurite to tellurium and thereby produce gray-black coloured colonies. Throat or nasal swab is directly inoculated and streaked on this agar medium.

Type of specimen

Clinical samples - throat swab

Specimen Collection and Handling:

For clinical samples follow appropriate techniques for handling specimens as per established guidelines (1,2). After use, contaminated materials must be sterilized by autoclaving before discarding.

Warning and Precautions:

In Vitro diagnostic Use only. For professional use only. Read the label before opening the pack. Wear protective gloves/ protective clothing/eye protection/ face protection. Follow good microbiological lab practices while handling specimens and culture. Standard precautions as per established guidelines should be followed while handling clinical specimens. Safety guidelines may be referred in individual safety data sheets.

Limitations :

- 1.Specimens if enriched on Loeffler medium, can give better growth of *Corynebacterium* species.
2. Other organisms such as Staphylococci, Streptococci will grow as minute black colonies due to tellurite reduction, hence *Corynebacterium* should be confirmed by gram staining and other biochemical test.
- 3.Individual organisms differ in their growth requirement and may show variable growth patterns on the medium
- 4.Each lot of the medium has been tested for the organisms specified on the COA. It is recommended to users to validate the medium for any specific microorganism other than mentioned in the COA based on the user's unique requirement.

Performance and Evaluation

Performance of the medium is expected when used as per the direction on the label within the expiry period when stored at recommended temperature.

Quality Control

Appearance

Sterile Tellurite Blood Agar Base in 90 mm disposable plates with smooth surface and absence of black particles/cracks/bubbles

Colour of medium

Reddish brown coloured

Quantity of medium

25 ml of medium in 90 mm disposable plates.

Reaction

7.00-7.40

Sterility Check

Passes release criteria

Cultural Response

Cultural characteristics observed after an incubation at 35-37°C for 48 hours (or more).

Organism	Inoculum (CFU)	Growth	Recovery	Colour of colony
<i>Corynebacterium diphtheriae</i> ATCC 11913	50-100	good-luxuriant	≥50%	grey-black
<i>Escherichia coli</i> ATCC 25922 (00013*)	≥10 ³	inhibited	0%	-

Key : *Corresponding WDCM numbers.

Storage and Shelf Life

On receipt store between 2-8°C. Use before expiry date on the label. Product performance is best if used within stated expiry period.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with clinical sample must be decontaminated and disposed of in accordance with current laboratory techniques (3,4).

Reference

1. MacFaddin J. F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. I, Williams and Wilkins, Baltimore.
2. Scott T. J., 1981, Microbiological Media, A Manual of Products and Procedures, Fieskeville, TI : Scott Laboratories, Inc. Isenberg, H.D. Clinical Microbiology Procedures Handbook 2nd Edition.
3. Isenberg, H.D. Clinical Microbiology Procedures Handbook 2nd Edition.
4. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.


Revision : 02/2024




HiMedia Laboratories Pvt. Limited,
Plot No.C-40, Road No.21Y,
MIDC, Wagle Industrial Area,
Thane (W) -400604, MS, India



In vitro diagnostic
medical device



Storage temperature



CEpartner4U, Esdoornlaan 13,
3951DB Maarn, NL
www.cepartner4u.eu



CE Marking



Do not use if
package is damaged

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.