

### PHM013

# Phyto Starch peptone Agar Base with CV

Semi Selective medium for the detection of *Xanthomonas axonopodis* pv. *phaseoli* in seeds of beans on the basis of starch hydrolysis.

### **Composition** \*\*:

Ingredients	Grams/Litre	
Peptone special	10.00	
Potassium bromide	10.00	
Calcium chloride, anhydrous	0.25	
Soluble starch	20.00	
Crystal violet	0.0015	
Agar	20.00	

\*\*Formula adjusted standard to suit the performance parameter

### **Directions:**

Suspend 60.25 grams in 990 ml distilled water. Add 10 ml of Tween 80. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Cool to 45-50 °C. Aseptically add the contents of one vial of CNFT supplement (PHS012). Mix well and pour into sterile Petri plates.

## **Principle and Interpretation**

Numerous plant-pathogenic bacteria multiply or survive on aerial parts of plants without causing any visible symptoms. Among other consequences, this asymptomatic phase allows bacterial populations to attain sizes permitting, in favorable environments, disease development. The genus *Xanthomonas* exhibits a high phytopathogenic diversity in contrast to a phenotypic uniformity, which has hampered the genesis of a stable classification for a long time, which is an important genus of phytopathogens known to cause severe damage on every economically important crop (3).

The common bean (*Phaseolus vulgaris* L.) is one of the most important crops worldwide in both economic and nutritional aspects. Common and fuscous blights of bean caused by *Xanthomonas axonopodis* pv. phaseoli and its variant "*Xanthomonas axonopodis* pv. phaseoli var. fuscans" (proposed name) occur frequently in temperate and tropical climates (2).

This medium is formulated as per the formulation of mXCP1 Medium (1). This medium is a semi selective medium recommended for the detection of *Xanthomonas axonopodis* pv. *phaseoli* in seeds of beans on the basis of starch hydrolysis. The media contains peptone special, which is carbon, nitrogen and sulphur source also soluble starch act as a carbon source, which get hydrolyzed and shows clear zone around the colonies by cleavage of starch. Crystal violet is inhibitory to most of the gram-positive organism. Tween 80 acts as a source of fatty acids.

Please refer disclaimer Overleaf.

### **PHM013**

### Phyto Starch peptone Agar Base with CV

Quality Control : Appearance of powder : Cream to yellow coloued, homogeneous, free flowing powder. Gelling : Firm, comparable with 1.5% Agar gel. Colour and Clarity of prepared medium Yellow coloured, opalescent gel with white precipitate forms in Petri plates

### **Cultural Response:**

Cultural characteristics observed with added CNFT supplement, after an incubation at 25-30°C for 5-6 days. Organism (ATCC) Growth Colour of the Colony Starch hydrolysis

Xanthomonas axonopodis pv. phaseoli	luxuriant	yellow,mucoid	+
Staphylococcus aureus (25923)	inhibited	-	
Saccharomyces cerevisiae (9763)	inhibited	-	

#### **References:**

 McGuire,R.G., Jones,J.B. and Sasser, M.1986. Tween media for semiselective isolation of Xanthomonas campestris pv vesicatoria from soil and plant material. *Plant Dis*. 70:887-891.
Vauterin, L., Rademaker, J., and Jean Swings. 2000. Synopsis on the Taxonomy of the Genus *Xanthomonas. Phytopath*. 90: 677-682.

3. Jacques, M.A., Josi, K., Darrasse, A., and Samson, R. 2005. *Xanthomonas axonopodis* pv. phaseoli var. fuscans is aggregated in stable biofilm population sizes in the phyllosphere of field-grown beans. *Appl Environ Microbiol.* 71: 2008-2015

#### **Storage and Shelf-life :**

Store below 30°C and the prepared medium at 2 - 8°C. Use before expiry date on the label.

#### Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia<sup>™</sup> publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia<sup>™</sup> Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory,diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

HiMedia Laboratories Pvt. Ltd. A-516, Swastik Disha Business Park, Via Vadhani Ind. Est., LBS Marg, Mumbai-400086, India. Customer care No.: 022-6147 1919 Email: techhelp@himedialabs.com Website: www.himedialabs.com