



HL Infusion Powder

RM022

Intended use

HL Infusion Powder is prepared controlled conditions to retain all nutritive values of liver. It is recommended for bulk production of antibiotics, vaccines, enzymes and bacteriological culture media, for cultivation of fastidious organisms.

Warning and Precautions

Read the label before opening the container. Wear protective gloves/protective clothing/eye protection/ face protection. Follow good microbiological lab practices while handling specimens and culture. Safety guidelines may be referred in individual safety data sheets.

Limitations

1. It is biological origin product since variation in colour of powder and clarity may observed.
2. Each lot of the product has been tested for the organisms specified on the COA. It is recommended to users to validate the medium for any specific microorganism other than mentioned in the COA based on the user's requirement.
3. Individual organisms differ in their growth requirement and may show variable growth patterns on the medium prepared by the product.

Performance and Evaluation

Performance of the medium is expected when used as per the direction on the label within the expiry period when stored at recommended temperature

Quality Control

- **Appearance** : Brownish yellow to brown homogeneous free flowing powder characteristic odour but not putrescent.
- **Solubility** : Freely soluble in purified/distilled water, insoluble in alcohol.
- **Clarity** : 1% w/v aqueous solution is clear without any haziness after autoclaving at 15 lbs pressure (121°C) for 15 minutes.
- **pH** : pH of 2% w/v aqueous solution at 25°C 6.0 - 7.0
- **Microbial Load** :
Bacterial Count : ≤ 2000 CFU/gram by plate method, when incubated at 30-35°C for not less than 3 days
Yeast & mould Count : ≤ 100 CFU/gram by plate method, when incubated at 20-25°C for not less than 5 days.
- **Test for pathogens** : 1. *Escherichia coli*- Absent/gram of sample 2. *Salmonella* species- Absent/10 gram of sample 3. *Pseudomonas aeruginosa*- Absent/gram of sample 4. *Staphylococcus aureus*- Absent/gram of sample 5. *Candida albicans*- Absent/gram of sample 6. *Clostridia*- Absent/gram of sample
- **Indole Test** : Tryptophan content: Passes
- **Cultural response** : Cultural response observed after an incubation at 35-37°C for 24-48 hours by preparing LI Agar (M374) using HL Infusion Powder , as an ingredient.

Cultural Response

Organism	Growth
<i>Clostridium perfringens</i> ATCC 12924	Luxuriant
<i>Clostridium sporogenes</i> ATCC 11437	Luxuriant
<i>Streptococcus pneumoniae</i> ATCC 6303	Luxuriant

Chemical Analysis :Total nitrogen : ≥ 11.00 %Amino Nitrogen : ≥ 3.00 %Sodium Chloride : ≤ 8.00 %Loss on drying : ≤ 6.00 %Residue on ignition (as sulphate) : ≤ 15.00 %**Storage and Shelf Life**

Store between 10-30°C in tightly closed container and away from bright light. Use before expiry date on label. On opening, product should be properly stored in dry ventilated area protected from extremes of temperature and sources of ignition. Seal the container tightly after use.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with clinical sample must be decontaminated and disposed of in accordance with current laboratory techniques.



Storage temperature



Do not use if package is damaged



HiMedia Laboratories Pvt Limited
C-40,21/Y, MIDC, Wagle Ind Area
Thane(W)-400604,Maharashtra,India

Revision : 07/2022

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.