



HiVeg™ Hydrolysate No.6

RM028V

Intended use

HiVeg™ Hydrolysate No.6 is produced by enzymic hydrolysis of vegetable proteins under controlled conditions and that can successfully replace Tryptone, Type II(Casitose, Type II) (RM028). It serves as a rich source of Amino Nitrogen. Recommended to be used in Antibiotic Assay Media.

Warning and Precautions

Read the label before opening the container. Wear protective gloves/protective clothing/eye protection/ face protection. Follow good microbiological lab practices while handling specimens and culture. Safety guidelines may be referred in individual safety data sheets.

Limitations

1. It is biological origin product since variation in colour of powder and clarity may observed.
2. Each lot of the product has been tested for the organisms specified on the COA. It is recommended to users to validate the medium for any specific microorganism other than mentioned in the COA based on the user's requirement.
3. Individual organisms differ in their growth requirement and may show variable growth patterns on the medium prepared by the product.

Performance and Evaluation

Performance of the medium is expected when used as per the direction on the label within the expiry period when stored at recommended temperature

Quality Control

- **Appearance** : Light yellow to yellow, may have a slight green tinge homogenous free flowing characteristic odour of protein, derived from vegetable source.
- **Solubility** : Freely soluble in distilled/ purified water, insoluble in alcohol.
- **Clarity** : 1% w/v aqueous solution is clear to slight opalescent after autoclaving at 15 lbs pressure (121°C) for 15 minutes.
- **pH** : pH of 2% w/v aqueous solution at 25°C 5.50-7.50
- **Microbial Load** :
Bacterial Count : <= 2000 CFU/gram by plate method, when incubated at 30-35°C for not less than 3 days
Yeast & mould Count : <= 100 CFU/gram by plate method, when incubated at 20-25°C for not less than 5 days.
- **Test for pathogens** : 1. *Escherichia Coli*- Absent/gram of sample 2. *Salmonella* species- Absent/10 gram of sample 3. *Pseudomonas aeruginosa*- Absent/gram of sample 4. *Staphylococcus aureus*- Absent/gram of sample 5. *Candida albicans*- Absent/gram of sample 6. *Clostridia*- Absent/gram of sample
- **Indole test** : Tryptophan content: Passes
- **Cultural response** : Cultural response observed after an incubation for bacterial at 35-37°C for 18-24 hours and for fungal at 20-25°C for not less than 5 days by preparing HiVeg™ Soyabean Casein Digest Medium (MV011) using HiVeg™ Hydrolysate No. 6 as an ingredient.

Cultural Response

Organism	Growth
<i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC 25923 (WDCM 00034)	luxuriant
<i>Staphylococcus aureus</i> subsp. <i>aureus</i> ATCC 6538 (WDCM 00032)	luxuriant
<i>Escherichia coli</i> ATCC 25922 (WDCM 00013)	luxuriant
<i>Escherichia coli</i> ATCC 8739 (WDCM 00012)	luxuriant
<i>Pseudomonas aeruginosa</i> ATCC 27853 (WDCM 00025)	luxuriant
<i>Pseudomonas paraeruginosa</i> ATCC 9027 (WDCM 00026)	luxuriant
<i>Bacillus spizizenii</i> ATCC 6633 (WDCM 00003)	luxuriant
<i>Salmonella enterica</i> subsp. <i>enterica</i> Typhimurium ATCC 14028 (WDCM 00031)	luxuriant
<i>Salmonella enterica</i> subsp. <i>enterica</i> serotype Abony NCTC 6017 (WDCM 00029)	luxuriant
<i>Kocuria rhizophila</i> ATCC 9341	luxuriant
<i>Streptococcus pneumoniae</i> ATCC 6303	luxuriant
<i>Candida albicans</i> ATCC 10231 (WDCM 00054)	luxuriant
<i>Aspergillus brasiliensis</i> ATCC 16404 (WDCM 00053)	luxuriant

Chemical Analysis :

Total Nitrogen : ≥ 11.50 %

Amino Nitrogen : ≥ 3.00 %

Sodium chloride : ≤ 5.00 %

Loss on drying : ≤ 7.00 %

Residue on ignition : ≤ 15.00 %

Storage and Shelf Life

Store between 10-30°C in tightly closed container and away from bright light. Use before expiry date on label. On opening, product should be properly stored in dry ventilated area protected from extremes of temperature and sources. Seal the container tightly after use.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with clinical sample must be decontaminated and disposed of in accordance with current laboratory techniques.



Storage temperature



Do not use if package is damaged



HiMedia Laboratories Pvt Limited
C-40,21/Y, MIDC, Wagle Ind Area
Thane(W)-400604,Maharashtra,India

Revision : 07/2022

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.