



Technical Datasheet

STEMin1™ Xeno-free, Recombinant Dissociation Solution

Suitable for xeno-free culture of stem cells

Product Code: TCL208

Intended Use:

STEMin1TM Dissociation Solution is used for dissociation of human MSCs, cultured in serum free medium.

Principle and Interpretation:

STEMin1TM Dissociation Solution is a a defined, serum free (SF), xeno-free (XF) dissociation solution for *in vitro* cultured human mesenchymal stem cells. Its exceptional purity increases specificity and reduces damage to cells that can be caused by other enzymes present in some trypsin extracts. The advantages of using TCL208 are as follows:-

- 1. Animal origin-free: It eliminates the risk of viruses, TSE-BSE other adventitious agents.
- 2. Compatible with serum free and Xeno free cultures

Type of Specimen:

in vitro cultured human mesenchymal stem cells.

Warning and Precautions:

In Vitro Diagnostic Use only. Read the label before opening the container. Wear protective gloves / protective clothing /eye protection /face protection. Follow proper aseptic techniques while handling specimens and cultures. Standard precautions as per established guidelines should be followed while handling clinical specimens. Safety guidelines may be referred in individual safety datasheets.

Directions

1. Culture the human MSCs in serum free medium.

- 2. Once the cells reach 70 80% confluence, aspirate the medium and discard. Do not disturb the monolayer.
- 3. Wash the cells with sufficient volume of DPBS to remove residual medium. Aspirate it off and discard.
- 4. Add appropriate volume of STEMin1™ Dissociation Solution in the culture vessel. Refer table.

Culture vessel	Recommended volume of STEMin1 TM Disociation Solution
T12.5	0.3ml
T25	0.5ml
T75	1.5ml
T175	3ml

- 5. Incubate the flask at 37° C. Complete dissociation requires 1-2 minutes.
- 6. Microscopically observe the flask at regular intervals. When the cells start rounding up, gently tap the flask to ensure complete detachment of cells from surface.
- 7. Add equal volume of STEMin1TM Neutralizer.
- 8. Pipette gently to get a homogenous cell suspension.
- 9. Centrifuge at 600rpm for 2-3 minutes.
- 10. Discard supernatant and suspend the pellet in 3ml fresh complete medium.

Materials required but not provided:

STEMin1TM Defined, Serum-free, Xeno-free medium for expansion of human stem cells (AL520)
STEMin1TM Attachment Solution (TCL206)
STEMin1TM Neutralizer Solution (TCL209)

Limitations:

Not applicable.



Quality Control:

Appearance

Colorless, clear solution.

pН

7.0 - 7.6

Osmolality in mOsm/Kg H2O

270 - 310

Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

Cell Dissociation Test.

Disposal:

User must ensure safe disposal by autoclaving and /or incineration of used or unusable preparations of this product. Follow established laboratory procedures for disposing infectious materials. The materials that come into contact with clinical samples must be decontaminated and disposed of in accordance with current laboratory techniques ^{1, 2}.

References:

- 1. Isenberg, H.D. Clinical Microbiology Procedures Handbook. 2nd Edition.
- Jorgensen, J. H., Pfaller, M.A., Carroll, K.C., Funke, G. Landry, M.L., Richter, S.S and Warnock., D.W. (2015), Manual of Clinical Microbiology, 11th Edition. Vol. 1.

Storage and Shelf Life:

Shelf life of the product is 12 months.

Upon receipt store at -30°C to -10°C in a freezer that is not self-defrosting.

Once thawed the product is stable about 2 weeks at 2 - 8°C. Repeated freezing and thawing reduces enzymatic activity and should be avoided. Once thawed, the solution can be aliquoted in smaller volumes and frozen for future use. Use before expiry date given on the product label.

IVD

In vitro diagnostic medical device



CE Marking



Consult instructions for use



Do not use if package is damaged



Reg. Off: Plot No. C40, Road No. 21Y, MIDC, Wagle Industrial Area, Thane (West) 400604, Maharashtra, India. Tel No.022-69034800 Email: atc@himedialabs.com Website: www.himedialabs.com.



CE Partner 4U, Esdoornlaan 13, 3951 DB Maarn The Netherlands, www.cepartner 4u.eu



Single use. Not intended to be reprocessed and/or used on another patient

Disclaimer: Revision: 02/2025

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ Publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

