Orchid Maintenance Macroelements TS1082

Composition :

Ingredients	milligrams/litre
Potassium nitrate	950.00
Ammonium nitrate	825.00
Calcium chloride.$2H_2O$	220.00
Magnesium sulphate	90.34
Potassium phosphate monobasic	85.00
TOTAL gm/litre	**2.17**

Directions :

Suspend 2.12 grams of dehydrated macroelements powder# in 600ml of distilled water. Apply constant gentle stirring to the solution till the powder dissolves completely. Add desired heat stable supplements prior to autoclaving. Adjust the medium to the desired pH using 1N HCl/NaOH. Make up the final volume to 1000ml with distilled water. Sterilize the medium by autoclaving at 15 lbs or 121ºC for 15 minutes. Cool the autoclaved medium to 45ºC before adding the filter sterilized heat labile supplements. Dispense the desired amount of medium aseptically in sterile culture vessels.

Weight after vacuum drying to remove all water

Principle and Interpretation :

Orchid Maintenance macroelements powder has been specially formulated for plant cell, tissue and organ cultures. Potassium nitrate and ammonium nitrate serves as the nitrate sources.

Quality Control :

Appearance	: White to off-white, homogeneous, free flowing powder.
Solubility	: 2.12 gm/litre soluble in distilled water.
Colour and Clarity	: Colourless to light yellow, clear solution.
pH at 25°C	: 4.8 ±0.5 of 0.212% w/v dehydrated macroelements powder.

Cultural Response :

Cultural condition :

- · Incubation period : 5 weeks
- · Relative humidity : 60% ± 2%
- · Temperature : 22°C ± 2°C
- · Photoperiod (D:N) in hours : 16:8

Cell Line	Type of Culture	Results
Vanda species	Shoot culture	No structural deformity observed No necrotic tissues, Actively growing shoots, No toxicity to shoots

[The medium is prepared as per direction. The growth promoting activity of this dehydrated macroelements is evaluated using plant species viz. *Vanda* species through three passages. Plant growth hormones (e.g. 2,4-D, NAA, Kinetin and 6-BAP) are added in suitable combinations and concentrations.

Storage and shelf life :

Dehydrated macroelements powder is extremely hygroscopic and should be protected from atmospheric moisture. If possible, the entire content of each bottle should be used immediately after opening or else the unused portion should be stored in a desiccator and refrigerated at 2-8°C. Use before the expiry date.

Reference :

1. Murashige T. & Skoog F., Physiol. Plant., (1962), 15, 473 - 497